

CHEMICAL PHYSICS LETTERS

Chemical Physics Letters 313 (1999) 821-833

Author index to volume 313

| Agafonov, V., see Senyavin, V.M. | 313 (1999) 421 |
|--|----------------|
| Agreiter, J.K., A.M. Knight and M.A. Duncan, ZEKE-PFI spectroscopy of the Al-(H ₂ O) | 212 (1000) 162 |
| and Al-(D ₂ O) complexes Akimote S. I. Venezaki S. Teksishi and M. Minnura Excitation relevation of constantials | 313 (1999) 162 |
| Akimoto, S., I. Yamazaki, S. Takaichi and M. Mimuro, Excitation relaxation of carotenoids | 313 (1999) 63 |
| within the S ₂ state probed by the femtosecond fluorescence up-conversion method | |
| Akiyama, K., see Ichikawa, T. | 313 (1999) 129 |
| Alacid, M., see Zúñiga, J. | 313 (1999) 670 |
| Alcantara Jr., P., see Correia, R.R.B. | 313 (1999) 553 |
| Aleksandrzak, K., see Szubiakowski, J. | 313 (1999) 473 |
| Alikhani, M.E., Theoretical study of the insertion reaction of zinc, cadmium, and mercury | 212 (1000) (00 |
| atoms with methane and silane | 313 (1999) 608 |
| Allen, T.W., M. Hoyles, S. Kuyucak and S.H. Chung, Molecular and Brownian dynamics | 212 (1222) 222 |
| study of ion selectivity and conductivity in the potassium channel | 313 (1999) 358 |
| Allouchi, H., see Senyavin, V.M. | 313 (1999) 421 |
| Alvariño, J.M., A. Rodríguez, A. Laganà and M.L. Hernández, Double-well structure and | |
| microscopic branching in the $O(^{1}D)$ + HCl reaction | 313 (1999) 299 |
| Ammal, S.S.C., see Shrivastava, K.N. | 313 (1999) 279 |
| Appel, G., O. Böhme, R. Mikalo and D. Schmeißer, The polaron and bipolaron contribu- | |
| tions to the electronic structure of polypyrrole films | 313 (1999) 411 |
| Araki, M., see Kurita, N. | 313 (1999) 693 |
| Ariu, M., G. Bongiovanni, M.A. Loi, A. Mura, A. Piaggi, L. Rossi, W. Graupner, F. | |
| Meghdadi and G. Leising, Radiative defects and optical response in oriented para- | |
| hexaphenyl films | 313 (1999) 405 |
| Arkhipov, V.I., see Schweitzer, B. | 313 (1999) 57 |
| Asada, T., see Kitaura, K. | 313 (1999) 701 |
| Babcock, G.T., see Himo, F. | 313 (1999) 374 |
| Baldelli, S., see Schnitzer, C. | 313 (1999) 416 |
| Balter, A., see Szubiakowski, J. | 313 (1999) 473 |
| Ban, T., S. Ter-Avetisyan, R. Beuc, H. Skenderović and G. Pichler, Photoassociation of | |
| cesium atoms into the double minimum $Cs_2 3^1 \Sigma_u^+$ state | 313 (1999) 110 |
| Bandrauk, A.D., see Talebpour, A. | 313 (1999) 789 |
| Bartels, L., M. Wolf, T. Klamroth, P. Saalfrank, A. Kühnle, G. Meyer and KH. Rieder, | |
| Atomic-scale chemistry: Desorption of ammonia from Cu(111) induced by tunneling | |
| electrons | 313 (1999) 544 |
| Bässler, H., see Harrison, M.G. | 313 (1999) 755 |
| Bässler, H., see Schweitzer, B. | 313 (1999) 57 |
| | |

| Bastida, A., see Zúñiga, J. | 313 (1999) 670 |
|---|----------------|
| BelBruno, J.J., The structure of $Al_n N_n$ ($n = 2-4$) clusters: a DFT study | 313 (1999) 795 |
| Bennett, D.W., see Chen, J. | 313 (1999) 741 |
| Bernard, E.J., B.R. Strazisar and H.F. Davis, Excited state dynamics of H ₂ CN radicals Bernshtein, V. and I. Oref, Intramolecular energy redistribution in C ₆₀ following high-en- | 313 (1999) 461 |
| ergy collisions with Li ⁺ | 313 (1999) 52 |
| Beuc, R., see Ban, T. | 313 (1999) 110 |
| Bian, W., see Manthe, U. | 313 (1999) 647 |
| Biczysko, M. and Z. Latajka, The influence of water molecules on the proton position in | |
| H_3N-HX (X = F, Cl, Br) complexes | 313 (1999) 366 |
| Bierbaum, V.M., see Li, J. | 313 (1999) 76 |
| Binning Jr., R.C., see Ishikawa, Y. | 313 (1999) 341 |
| Böhme, O., see Appel, G. | 313 (1999) 411 |
| Boneß, J., G. Marowsky and HG. Rubahn, Growth and thermal destruction of sodium | |
| films on Si(111)7 \times 7 surfaces as monitored via second-harmonic generation | 313 (1999) 19 |
| Bongiovanni, G., see Ariu, M. | 313 (1999) 405 |
| Borbat, P.P. and J.H. Freed, Multiple-quantum ESR and distance measurements | 313 (1999) 145 |
| Bradley, R.K., see Nikolaev, P. | 313 (1999) 91 |
| Bravo-Pérez, G., I.L. Garzón and O. Novaro, Non-additive effects in small gold clusters | 313 (1999) 655 |
| Breidung, J., J. Demaison, L. Margulès and W. Thiel, Equilibrium structure of SiF ₄ | 313 (1999) 713 |
| Brion, C.E., see Deng, J.K. | 313 (1999) 134 |
| Bronikowski, M.J., see Nikolaev, P. | 313 (1999) 91 |
| Brunetti, B.G., see Ohoyama, H. | 313 (1999) 484 |
| Bulthuis, J., see de Lange, M.J.L. | 313 (1999) 491 |
| Buma, W.J., M. Fanti and F. Zerbetto, Scaling of the second hyperpolarisabilities of | 212 (1000) 126 |
| conjugated carbon systems: polyynes versus polyenes and fullerenes | 313 (1999) 426 |
| Buttet, J., see Félix, C. | 313 (1999) 105 |
| Calvet, L.C., see Chen, J. | 313 (1999) 741 |
| Canuto, S., see Urahata, S. | 313 (1999) 235 |
| Capes, L., see Létard, JF. | 313 (1999) 115 |
| Carr, D.W., see Chen, J. | 313 (1999) 741 |
| Carter, V.J., J.P. Kujanpää, F.G. Riddell, P.A. Wright, J.F.C. Turner, C.R.A. Catlow and | |
| K.S. Knight, Structure and dynamics of methyl groups in the deuterated microporous | |
| organic-inorganic hybrid, aluminium methylphosphonate-β | 313 (1999) 505 |
| Castillo, J.F., see Sokolovski, D. | 313 (1999) 225 |
| Catlow, C.R.A., see Carter, V.J. | 313 (1999) 505 |
| Céolin, R., see Senyavin, V.M. | 313 (1999) 421 |
| Cerullo, G., see Lanzani, G. | 313 (1999) 525 |
| Chastanet, G., see Létard, JF. | 313 (1999) 115 |
| Chen, J., L.C. Calvet, M.A. Reed, D.W. Carr, D.S. Grubisha and D.W. Bennett, Electronic | |
| transport through metal-1,4-phenylene diisocyanide-metal junctions | 313 (1999) 741 |
| Chen, X.J., see Deng, J.K. | 313 (1999) 134 |
| Chen, Z., S.D. Kennedy and J. Zhong, Theoretical formalism and experimental confirma- | 212 (1222) 215 |
| tion of intermolecular dipolar effects under time-averaged magnetic field gradients | 313 (1999) 217 |
| Cherayil, B.J., see Myers, D.J. | 313 (1999) 592 |
| Cheskis, S., see Derzy, I. | 313 (1999) 121 |
| Chiang, I.W., see Kelly, K.F. | 313 (1999) 445 |
| | |

| Cli CI TII | () |
|---|-----------------|
| Chin, S.L., see Talebpour, A. | 313 (1999) 789 |
| Chou, A., see Li, Z. | 313 (1999) 313 |
| Chung, S.H., see Allen, T.W. | 313 (1999) 358 |
| Cleij, T.J., see Sarobe, M. | 313 (1999) 31 |
| Colbert, D.T., see Nikolaev, P. | 313 (1999) 91 |
| Comoretto, D., see Lanzani, G. | 313 (1999) 525 |
| Correia, R.R.B., P. Alcantara Jr. and S.L.S. Cunha, Dye-induced spectral narrowing of | |
| stimulated scattering in CS ₂ | 313 (1999) 553 |
| Couris, S., see Juha, L. | 313 (1999) 431 |
| Cunha, S.L.S., see Correia, R.R.B. | 313 (1999) 553 |
| Cuniberti, C., see Lanzani, G. | 313 (1999) 525 |
| Curtiss, L.A., P.C. Redfern, K. Raghavachari and J.A. Pople, Gaussian-3 theory: a variation | |
| based on third-order perturbation theory and an assessment of the contribution of | |
| core-related correlation | 313 (1999) 600 |
| Davis, H.F., see Bernard, E.J. | 313 (1999) 461 |
| Davydov, V.A., see Senyavin, V.M. | 313 (1999) 421 |
| Deb, S.K., see Rao, R. | 313 (1999) 749 |
| De Lange, M.J.L., M. Drabbels, P.T. Griffiths, J. Bulthuis, S. Stolte and J.G. Snijders, | 010 (1)))) / // |
| Steric asymmetry in state-resolved NO-Ar collisions | 313 (1999) 491 |
| Dellepiane, G., see Lanzani, G. | 313 (1999) 525 |
| Del Re, G., see Rassat, A. | 313 (1999) 582 |
| Demaison, J., see Breidung, J. | 313 (1999) 713 |
| Deng, H., see Deng, J.K. | 313 (1999) 134 |
| Deng, J.K., G.Q. Li, J.D. Huang, H. Deng, X.D. Wang, F. Wang, Y. He, Y.A. Zhang, C.G. | 313 (1777) 134 |
| Ning, N.F. Gao, Y. Wang, X.J. Chen, Y. Zheng and C.E. Brion, The valence shell | |
| binding energy spectra and frontier orbital momentum profiles of methylpropane (iso- | |
| butane) by binary (e, 2e) spectroscopy | 313 (1999) 134 |
| Derzy, I., V.A. Lozovsky and S. Cheskis, Absorption cross-sections and absolute concen- | 313 (1777) 134 |
| tration of singlet methylene in methane/air flames | 313 (1999) 121 |
| De Silvestri, S., see Lanzani, G. | 313 (1999) 525 |
| Ding, W., see Zhang, N. | 313 (1999) 523 |
| Domínguez-Adame, F., see Malyshev, V.A. | 313 (1999) 255 |
| Drabbels, M., see de Lange, M.J.L. | 313 (1999) 491 |
| Drichko, N.V., see Graja, A. | 313 (1999) 725 |
| | 313 (1999) 123 |
| Du, X. and Y. Liang, Well-ordered structure of N-octadecanoyl-L-alanine Langmuir— | 212 (1000) 565 |
| Blodgett film studied by FTIR spectroscopy | 313 (1999) 565 |
| Du, Y., see Zhang, N. | 313 (1999) 69 |
| Duer, M.J. and A.J. Painter, Correlating quadrupolar nuclear spins: a multiple-quantum | 212 (1000) 762 |
| NMR approach | 313 (1999) 763 |
| Duncan, M.A., see Agreiter, J.K. | 313 (1999) 162 |
| Eggeling, J., E.A.H. Griffiths, I.R. Gould and T.S. Jones, Negative ion resonances and | |
| vibrational mode selectivity in inelastic electron scattering studies of hydrogen and | |
| diethylsilane adsorbed on Si(100) | 313 (1999) 805 |
| Ehrenberg, B., see Juha, L. | 313 (1999) 431 |
| Eiswirth, M., see Fecher, F. | 313 (1999) 205 |
| Eliav, E., see Landau, A. | 313 (1999) 399 |
| | |

| Endou, A., see Shrivastava, K.N. | 313 (1999) 279 |
|--|----------------------------------|
| Eriksson, L.A., see Himo, F. | 313 (1999) 374 |
| Ertl, G., see Félix, C. | 313 (1999) 105 |
| Eve, J.K. and E.M. McCash, Low-temperature adsorption of CO on Cu(111) studied by | |
| reflection absorption infrared spectroscopy | 313 (1999) 575 |
| Faeder, J., see Sanov, A. | 313 (1999) 812 |
| Fanti, M., see Buma, W.J. | 313 (1999) 426 |
| Fayer, M.D., see Myers, D.J. | 313 (1999) 592 |
| Fecher, F., P. Strasser, M. Eiswirth, F.W. Schneider and A.F. Münster, Spatial entrainment | |
| of patterns during the polymerization of acrylamide in the presence of the methylene | |
| blue-sulfide chemical oscillator | 313 (1999) 205 |
| Félix, C., C. Sieber, W. Harbich, J. Buttet, I. Rabin, W. Schulze and G. Ertl, Fluorescence | 212 (1000) 105 |
| and excitation spectra of Ag ₄ in an argon matrix | 313 (1999) 105 |
| Fokkens, R.H., see Sarobe, M. | 313 (1999) 31 |
| Francisco, J.S., see Good, D.A. | 313 (1999) 267 |
| Freed, J.H., see Borbat, P.P. | 313 (1999) 145 |
| Fujii, T., Analysis of products from a C ₂ H ₂ /N ₂ microwave discharge: new nitrile species | 313 (1999) 733 |
| Fukumoto, Y., H. Koizumi and K. Makoshi, Location of conical intersections by the | |
| Pancharatnam connection and the sign-change theorem of Longuet-Higgins: a model | 212 (1000) 202 |
| calculation with the H ₄ potential surface | 313 (1999) 283 |
| Furuya, K., K. Ishikawa, A. Matsuo and T. Ogawa, Mass analysis of high-Rydberg | |
| fragments produced by electron impact on ethane by use of a pulsed-field-ionization technique | 313 (1999) 559 |
| technique | 313 (1999) 339 |
| Gamblin, S.D., see Soldán, P. | 313 (1999) 379 |
| Gao, N.F., see Deng, J.K. | 313 (1999) 134 |
| Garzón, I.L., see Bravo-Pérez, G. | 313 (1999) 655 |
| Gershgoren, E., see Wang, Z. | 313 (1999) 155 |
| Ghosh, S., see Philip, R. | 313 (1999) 719 |
| Giessen, H., see Harrison, M.G. | 313 (1999) 755 |
| Gill, P.M.W., see Lee, A.M. | 313 (1999) 271 |
| Godwal, B.K., see Rao, R. | 313 (1999) 749 |
| González Velasco, J., A study at the molecular level of the mechanism of surface diffusion | |
| at electrode-electrolyte interfaces | 313 (1999) 7 |
| Good, D.A., Y. Li and J.S. Francisco, Location of the first excited states of fluorinated | 212 (1000) 267 |
| ethers, E143a (CH ₃ OCF ₃), E134 (CHF ₂ OCHF ₂), and E125 (CHF ₂ OCF ₃) | 313 (1999) 267 |
| Gora, R., see Roszak, S. | 313 (1999) 198 |
| Gould, I.R., see Eggeling, J. | 313 (1999) 805 |
| Graja, A., R. Lipiec, S. Waplak, S. Król, I. Turowska-Tyrk and N.V. Drichko, Interplay of | |
| acceptor molecule shape, crystal structure and physical properties of a new molecular | 212 (1000) 725 |
| complex C ₇₀ · 2[(Ph ₃ P)AuCl] | 313 (1999) 725 313 (1999) 405 |
| Graupner, W., see Ariu, M. Grembecka, J., P. Kędzierski and W.A. Sokalski, Non-empirical analysis of the nature of | 313 (1999) 403 |
| the inhibitor–active-site interactions in leucine aminopeptidase | 313 (1999) 385 |
| Griffiths, E.A.H., see Eggeling, J. | 313 (1999) 805 |
| Griffiths, P.T., see de Lange, M.J.L. | 313 (1999) 491 |
| Grossi, G., L. Peroncelli and N. Rahman, Statistics of energy levels in the quantum | 313 (1999) 491 |
| treatment of an elementary reaction | 313 (1999) 639 |
| deather of all elementary reaction | 313 (1777) 037 |

| Cabilla D.C. and Charles | 212 (1000) 711 |
|---|----------------|
| Grubisha, D.S., see Chen, J. | 313 (1999) 741 |
| Gu, X., see Zhu, R. | 313 (1999) 98 |
| Guo, R., see Xu, S.C. | 313 (1999) 617 |
| Haggquist, G.W., see Osuka, A. | 313 (1999) 499 |
| Halas, N.J., see Kelly, K.F. | 313 (1999) 445 |
| Halpern, J.B., see Ochimizu, T. | 313 (1999) 451 |
| Hamplová, V., see Juha, L. | 313 (1999) 431 |
| Han, KL., see Zhu, R. | 313 (1999) 98 |
| Harbich, W., see Félix, C. | 313 (1999) 105 |
| Harms, G.S., T. Irngartinger, D. Reiss, A. Renn and U.P. Wild, Fluorescence lifetimes of | |
| terrylene in solid matrices | 313 (1999) 533 |
| Harrison, M.G., G. Urbasch, R.F. Mahrt, H. Giessen, H. Bässler and U. Scherf, Two-pho- | |
| ton fluorescence and femtosecond two-photon absorption studies of MeLPPP, a ladder- | |
| type poly(phenylene) with low intra-chain disorder | 313 (1999) 755 |
| Hauge, R.H., see Kelly, K.F. | 313 (1999) 445 |
| He, GZ., see Zhu, R. | 313 (1999) 98 |
| He, Y., see Deng, J.K. | 313 (1999) 134 |
| Heffner, S.A., see Mirau, P.A. | 313 (1999) 139 |
| Hernández, M.L., see Alvariño, J.M. | 313 (1999) 299 |
| Hikida, T., see Matsushita, Y. | 313 (1999) 85 |
| Himo, F., G.T. Babcock and L.A. Eriksson, Tyrosyl radical in galactose oxidase not | |
| strongly perturbed by cysteine cross-link | 313 (1999) 374 |
| Hobza, P., see Ryjáček, F. | 313 (1999) 393 |
| Hoyles, M., see Allen, T.W. | 313 (1999) 358 |
| Hu, ZM. and H. Nakatsuji, Active sites for methanol synthesis on a Zn/Cu(100) catalyst | 313 (1999) 14 |
| Huang, J.D., see Deng, J.K. | 313 (1999) 134 |
| Ichikawa, T., K. Akiyama, G. Satoh and H. Koizumi, Thermal emission of alkaline ions | |
| from solid electrolyte: evidence of nonstoichiometric reaction | 313 (1999) 129 |
| Ikeo, E., see Kitaura, K. | 313 (1999) 701 |
| Irngartinger, T., see Harms, G.S. | 313 (1999) 533 |
| Ishikawa, K., see Furuya, K. | 313 (1999) 559 |
| Ishikawa, Y., R.C. Binning Jr. and N.S. Shramek, Direct ab initio molecular dynamics | 313 (1777) 337 |
| study of $NO_2^+ + (H_2O)_4 \rightarrow HNO_3(H_7O_3^+)$ | 313 (1999) 341 |
| stady of 11.0 ₂ · (11.20)4 · 111.0 ₃ (11/0 ₃) | (, |
| Jávorfi, T., see Osuka, A. | 313 (1999) 499 |
| Jenneskens, L.W., see Sarobe, M. | 313 (1999) 31 |
| Jones, T.S., see Eggeling, J. | 313 (1999) 805 |
| Juha, L., B. Ehrenberg, S. Couris, E. Koudoumas, V. Hamplová, Z. Pokorná, A. Müllerová | |
| and M. Pavel, Fullerene decomposition induced by near-infrared laser radiation studied | |
| by real-time turbidimetry | 313 (1999) 431 |
| Kahn, O., see Létard, JF. | 313 (1999) 115 |
| Kaldor, U., see Letard, JF. Kaldor, U., see Landau, A. | 313 (1999) 399 |
| Kaltsoyannis, N. and S.D. Price, Computational studies of the geometric and electronic | 313 (1999) 399 |
| structures of BF ₃ ⁺ , AlF ₃ ⁺ , CF ₃ ²⁺ and SiF ₃ ²⁺ | 313 (1999) 679 |
| Kasai, T., see Ohoyama, H. | 313 (1999) 484 |
| Rusui, 1., see Olloyalla, 11. | 313 (1777) 404 |

| Kashevarova, L.S., see Senyavin, V.M. | 313 (1999) 421 |
|--|----------------|
| Kawaguchi, H., see Ohoyama, H. | 313 (1999) 484 |
| Kawata, M. and M. Mikami, Acceleration of the canonical molecular dynamics simulation | |
| by the particle mesh Ewald method combined with the multiple time-step integrator | |
| algorithm | 313 (1999) 261 |
| Ke, X.Z., Z.Y. Zhu, F.S. Zhang, F. Wang and Z.X. Wang, Molecular dynamics simulation | |
| of C ₂₀ fullerene | 313 (1999) 40 |
| Kędzierski, P., see Grembecka, J. | 313 (1999) 385 |
| Kelly, K.F., I.W. Chiang, E.T. Mickelson, R.H. Hauge, J.L. Margrave, X. Wang, G.E. | |
| Scuseria, C. Radloff and N.J. Halas, Insight into the mechanism of sidewall functional- | |
| ization of single-walled nanotubes: an STM study | 313 (1999) 445 |
| Kennedy, S.D., see Chen, Z. | 313 (1999) 217 |
| King, D.A., see Kose, R. | 313 (1999) 1 |
| Kinoshita, M. and Y. Sugai, A new methodology for predicting shape and size distribution | |
| of micelles | 313 (1999) 685 |
| Kitaura, K., E. Ikeo, T. Asada, T. Nakano and M. Uebayasi, Fragment molecular orbital | |
| method: an approximate computational method for large molecules | 313 (1999) 701 |
| Klamroth, T., see Bartels, L. | 313 (1999) 544 |
| Kleinekathöfer, U., see Nest, M. | 313 (1999) 665 |
| Knight, A.M., see Agreiter, J.K. | 313 (1999) 162 |
| Knight, K.S., see Carter, V.J. | 313 (1999) 505 |
| Kobayashi, K. and S. Nagase, Theoretical study of structures and dynamic properties of | |
| Sc ₃ @C ₈₂ | 313 (1999) 45 |
| Kobayashi, K., see Kurita, N. | 313 (1999) 693 |
| Koizumi, H., see Fukumoto, Y. | 313 (1999) 283 |
| Koizumi, H., see Ichikawa, T. | 313 (1999) 129 |
| Kose, R. and D.A. King, Energetics and CO-induced lifting of a (1 × 2) surface reconstruc- | |
| tion observed on Pt(311) | 313 (1999) 1 |
| Koshi, M., see Tonokura, K. | 313 (1999) 771 |
| Kosloff, R., see Wang, Z. | 313 (1999) 155 |
| Koudoumas, E., see Juha, L. | 313 (1999) 431 |
| Kratochvíl, M., see Ryjáček, F. | 313 (1999) 393 |
| Król, S., see Graja, A. | 313 (1999) 725 |
| Kubo, M., see Shrivastava, K.N. | 313 (1999) 279 |
| Kühnle, A., see Bartels, L. | 313 (1999) 544 |
| Kujanpää, J.P., see Carter, V.J. | 313 (1999) 505 |
| Kume, T., see Osuka, A. | 313 (1999) 499 |
| Kurita, N., M. Araki, K. Nakao and K. Kobayashi, Efficiency of the MO method using a | |
| Slater-type basis set and non-local density functional formalism for describing DNA | |
| base stacking energy | 313 (1999) 693 |
| Kuyucak, S., see Allen, T.W. | 313 (1999) 358 |
| Kwon, O., M.L. McKee and R.M. Metzger, Theoretical calculations of methylquinolinium | |
| tricyanoquinodimethanide (CH ₃ Q-3CNQ) using a solvation model | 313 (1999) 321 |
| | |
| Laganà, A., see Alvariño, J.M. | 313 (1999) 299 |
| Landau, A., E. Eliav and U. Kaldor, Intermediate Hamiltonian Fock-space coupled-cluster | |
| method | 313 (1999) 399 |
| | |

| Lanzani, G., S. Stagira, G. Cerullo, S. De Silvestri, D. Comoretto, I. Moggio, C. Cuniberti, | |
|--|----------------|
| G.F. Musso and G. Dellepiane, Triplet exciton generation and decay in a red polydi- | |
| acetylene studied by femtosecond spectroscopy | 313 (1999) 525 |
| Latajka, Z., see Biczysko, M. | 313 (1999) 366 |
| Lee, A.M. and P.M.W. Gill, Computation of Coulomb and exchange radial intracule | |
| densities | 313 (1999) 271 |
| Lee, E.P.F., see Soldán, P. | 313 (1999) 379 |
| Lee, SL., see Mishra, R.K. | 313 (1999) 437 |
| Leising, G., see Ariu, M. | 313 (1999) 405 |
| Leone, S.R., see Li, J. | 313 (1999) 76 |
| Leonhardt, M., O. Mager and H. Port, Two-component optical spectra in thin PTCDA films | |
| due to the coexistence of α - and β -phase | 313 (1999) 24 |
| Leszczynski, J., see Roszak, S. | 313 (1999) 198 |
| Létard, JF., L. Capes, G. Chastanet, N. Moliner, S. Létard, JA. Real and O. Kahn, | |
| Critical temperature of the LIESST effect in iron(II) spin crossover compounds | 313 (1999) 115 |
| Létard, S., see Létard, JF. | 313 (1999) 115 |
| Li, G., see Zhang, N. | 313 (1999) 69 |
| Li, G.Q., see Deng, J.K. | 313 (1999) 134 |
| Li, J., V.M. Bierbaum and S.R. Leone, Laser ionization time-of-flight mass spectrometer | |
| detection of methyl radical produced by ion-molecule reactions in a flowing-afterglow | |
| apparatus | 313 (1999) 76 |
| Li, Y., see Good, D.A. | 313 (1999) 267 |
| Li, Z., A. Chou and FM. Tao, Ab initio study of the intermolecular potential surface of | |
| He-NH ₃ | 313 (1999) 313 |
| Liang, Y., see Du, X. | 313 (1999) 565 |
| Lima, J.C., see Osuka, A. | 313 (1999) 499 |
| Lin, YT., see Mishra, R.K. | 313 (1999) 437 |
| Lineberger, W.C., see Sanov, A. | 313 (1999) 812 |
| Linnartz, H., see Pfluger, D. | 313 (1999) 171 |
| Lipiec, R., see Graja, A. | 313 (1999) 725 |
| Loi, M.A., see Ariu, M. | 313 (1999) 405 |
| Lonfat, M., B. Marsen and K. Sattler, The energy gap of carbon clusters studied by | |
| scanning tunneling spectroscopy | 313 (1999) 539 |
| Lou, NQ., see Zhu, R. | 313 (1999) 98 |
| Lozovsky, V.A., see Derzy, I. | 313 (1999) 121 |
| | |
| Mager, O., see Leonhardt, M. | 313 (1999) 24 |
| Mahrt, R.F., see Harrison, M.G. | 313 (1999) 755 |
| Maier, J.P., see Pfluger, D. | 313 (1999) 171 |
| Makoshi, K., see Fukumoto, Y. | 313 (1999) 283 |
| Malyshev, V.A. and F. Domínguez-Adame, Motional narrowing effect in one-dimensional | / |
| Frenkel chains with configurational disorder | 313 (1999) 255 |
| Manthe, U., W. Bian and HJ. Werner, Quantum-mechanical calculation of the thermal | () |
| rate constant for the $H_2 + Cl \rightarrow H + HCl$ reaction | 313 (1999) 647 |
| Margrave, J.L., see Kelly, K.F. | 313 (1999) 445 |
| Margulès, L., see Breidung, J. | 313 (1999) 713 |
| Marian, C.M., see Tatchen, J. | 313 (1999) 351 |
| Marowsky, G., see Boneß, J. | 313 (1999) 19 |

| Marsen, B., see Lonfat, M. | 313 (1999) 539 |
|---|----------------|
| Marui, S., see Tonokura, K. | 313 (1999) 771 |
| Mathur, P., see Philip, R. | 313 (1999) 719 |
| Matsuo, A., see Furuya, K. | 313 (1999) 559 |
| Matsushita, Y. and T. Hikida, The effect of cyclodextrin complexation on the fluorescence | |
| properties of ethyl-4'-dimethylaminobenzoate | 313 (1999) 85 |
| McCash, E.M., see Eve, J.K. | 313 (1999) 575 |
| McCoy, E.F. and M.J. Sykes, The estimation of molecular properties using momentum- | |
| space wavefunctions | 313 (1999) 707 |
| McKee, M.L., see Kwon, O. | 313 (1999) 321 |
| Meghdadi, F., see Ariu, M. | 313 (1999) 405 |
| Melo, E., see Osuka, A. | 313 (1999) 499 |
| Metzger, R.M., see Kwon, O. | 313 (1999) 321 |
| Meyer, G., see Bartels, L. | 313 (1999) 544 |
| Mickelson, E.T., see Kelly, K.F. | 313 (1999) 445 |
| Mikalo, R., see Appel, G. | 313 (1999) 411 |
| Mikami, M., see Kawata, M. | 313 (1999) 261 |
| Mimuro, M., see Akimoto, S. | 313 (1999) 63 |
| Mirau, P.A., S.A. Heffner and M. Schilling, Controlling the chain dynamics of polymers at | |
| interfaces | 313 (1999) 139 |
| Mishra, R.K., YT. Lin and SL. Lee, Growth mechanism of C ₂₈ (Td) fullerene: | |
| energetics and transition-state structures analysis | 313 (1999) 437 |
| Miyamoto, A., see Shrivastava, K.N. | 313 (1999) 279 |
| Miyawaki, J., see Yang, DS. | 313 (1999) 514 |
| Moggio, I., see Lanzani, G. | 313 (1999) 525 |
| Moliner, N., see Létard, JF. | 313 (1999) 115 |
| Müllerová, A., see Juha, L. | 313 (1999) 431 |
| Münster, A.F., see Fecher, F. | 313 (1999) 205 |
| Mura, A., see Ariu, M. | 313 (1999) 405 |
| Musso, G.F., see Lanzani, G. | 313 (1999) 525 |
| Myers, D.J., M. Shigeiwa, M.D. Fayer and B.J. Cherayil, Density dependent vibrational | () |
| relaxation in supercritical fluids | 313 (1999) 592 |
| Nagaga C saa Kahayaahi K | 313 (1999) 45 |
| Nagase, S., see Kobayashi, K. | 313 (1999) 701 |
| Nakano, T., see Kitaura, K. Nakao, K., see Kurita, N. | 313 (1999) 693 |
| Nakatsuji, H., see Hu, ZM. | 313 (1999) 14 |
| Naqvi, K.R., see Osuka, A. | 313 (1999) 499 |
| Nest, M., U. Kleinekathöfer, M. Schreiber and P. Saalfrank, The mapped Fourier method | 313 (1999) 499 |
| for scattering problems | 313 (1999) 665 |
| Nibbering, N.M.M., see Sarobe, M. | 313 (1999) 31 |
| Nielsen, O.J., see Wallington, T.J. | 313 (1999) 456 |
| Nikolaev, P., M.J. Bronikowski, R.K. Bradley, F. Rohmund, D.T. Colbert, K.A. Smith and | 313 (1999) 430 |
| R.E. Smalley, Gas-phase catalytic growth of single-walled carbon nanotubes from | |
| carbon monoxide | 313 (1999) 91 |
| Ning, C.G., see Deng, J.K. | 313 (1999) 134 |
| Novaro, O., see Bravo-Pérez, G. | 313 (1999) 655 |
| Nowak, W., see Szubiakowski, J. | 313 (1999) 473 |
| THOMAN, IT., SEE DEGUIAROWSKI, J. | 313 (1999) 4/3 |

| Ochimizu, T., K. Seki, M. Yagi, J.B. Halpern and H. Okabe, Rate constants for the | |
|--|----------------|
| reactions of CN with C ₆ -C ₈ unsaturated hydrocarbons: the relations between the reaction rates and the molecular lengths | 313 (1999) 451 |
| Ogawa, T., see Furuya, K. | 313 (1999) 559 |
| | 313 (1999) 339 |
| Ohoyama, H., H. Kawaguchi, M. Yamato, T. Kasai, B.G. Brunetti and F. Vecchiocattivi, | 212 (1000) 494 |
| Evidence for steric effect in methyl chloride ionization by metastable argon atoms | 313 (1999) 484 |
| Okabe, H., see Ochimizu, T. | 313 (1999) 451 |
| Oppel, M. and G.K. Paramonov, Selective vibronic excitation and bond breaking by | 212 (1000) 222 |
| picosecond UV and IR laser pulses: application to a two-dimensional model of HONO ₂ | 313 (1999) 332 |
| Oref, I., see Bernshtein, V. | 313 (1999) 52 |
| Osuka, A., T. Kume, G.W. Haggquist, T. Jávorfi, J.C. Lima, E. Melo and K.R. Naqvi, Photophysical characteristics of two model antenna systems: a fucoxanthin-pyropheo- | 212 (1000) 400 |
| porbide dyad and its peridinin analogue | 313 (1999) 499 |
| Ozaki, A., see Shrivastava, K.N. | 313 (1999) 279 |
| Painter, A.J., see Duer, M.J. | 313 (1999) 763 |
| Paramonov, G.K., see Oppel, M. | 313 (1999) 332 |
| Parson, R., see Sanov, A. | 313 (1999) 812 |
| Pavel, M., see Juha, L. | 313 (1999) 431 |
| Peluso, A., see Rassat, A. | 313 (1999) 582 |
| Peroncelli, L., see Grossi, G. | 313 (1999) 639 |
| Pfluger, D., W.E. Sinclair, H. Linnartz and J.P. Maier, Rotationally resolved electronic | |
| absorption spectra of triacetylene cation in a supersonic jet | 313 (1999) 171 |
| Philip, R., G. Ravindra Kumar, P. Mathur and S. Ghosh, Non-linear optical properties of | |
| the mixed-metal mixed-chalcogen clusters $[Fe_2(CO)_6(\mu-SeC(Ph)=C(Se))]$ | |
| $\{(OEt)C = Cr(CO)_5\}\}\$ and $[Fe_2(CO)_6Se_2\{\mu-(CO)_3Cr(\eta^5-C_5H(CH_2Ph)(Ph)(OEt)\}]$ | 313 (1999) 719 |
| Phillips, D.L., see Zheng, X. | 313 (1999) 467 |
| Piaggi, A., see Ariu, M. | 313 (1999) 405 |
| Pichler, G., see Ban, T. | 313 (1999) 110 |
| Pokorná, Z., see Juha, L. | 313 (1999) 431 |
| Pople, J.A., see Curtiss, L.A. | 313 (1999) 600 |
| Port, H., see Leonhardt, M. | 313 (1999) 24 |
| Potrzebowski, M.J., C. Schneider and P. Tekely, Hydrogen bonding pattern in N-benzoyl | |
| (-DL-)-L-phenylalanines as revealed by solid-state NMR spectroscopy | 313 (1999) 569 |
| Price, S.D., see Kaltsoyannis, N. | 313 (1999) 679 |
| Rabin, I., see Félix, C. | 313 (1999) 105 |
| Radloff, C., see Kelly, K.F. | 313 (1999) 445 |
| Raghavachari, K., see Curtiss, L.A. | 313 (1999) 600 |
| Rahman, N., see Grossi, G. | 313 (1999) 639 |
| Rakhmanina, A.V., see Senyavin, V.M. | 313 (1999) 421 |
| Rao, Q., see Xie, R.H. | 313 (1999) 211 |
| Rao, R., T. Sakuntala, S.K. Deb, A.P. Roy, V. Vijayakumar, B.K. Godwal and S.K. Sikka, | |
| High-pressure Raman scattering studies on hexamethylenetetramine | 313 (1999) 749 |
| Rassat, A., G. Del Re and A. Peluso, Neutral mixed-valence organic monoradicals | 313 (1999) 582 |
| Ravindra Kumar, G., see Philip, R. | 313 (1999) 719 |
| Real, JA., see Létard, JF. | 313 (1999) 115 |
| | |

| Redfern, P.C., see Curtiss, L.A. | 313 (1999) 600 |
|---|----------------|
| Reed, M.A., see Chen, J. | 313 (1999) 741 |
| Reiss, D., see Harms, G.S. | 313 (1999) 533 |
| Renn, A., see Harms, G.S. | 313 (1999) 533 |
| Requena, A., see Zúñiga, J. | 313 (1999) 670 |
| Riddell, F.G., see Carter, V.J. | 313 (1999) 505 |
| Rieder, KH., see Bartels, L. | 313 (1999) 544 |
| Rodríguez, A., see Alvariño, J.M. | 313 (1999) 299 |
| Rohmund, F., see Nikolaev, P. | 313 (1999) 91 |
| Rossi, L., see Ariu, M. | 313 (1999) 405 |
| Roszak, S., R. Gora and J. Leszczynski, A theoretical study of the structures and energetics | |
| of O^-Ar_n $(n = 1-6)$ clusters | 313 (1999) 198 |
| Roy, A.P., see Rao, R. | 313 (1999) 749 |
| Rubahn, HG., see Boneß, J. | 313 (1999) 19 |
| Ruhman, S., see Wang, Z. | 313 (1999) 155 |
| Ryjáček, F., M. Kratochvíl and P. Hobza, Adenine · · · 2,4-difluorotoluene (modified base) | |
| pair: potential and free-energy surfaces. Non-empirical and empirical potential studies | 313 (1999) 393 |
| Saalfrank, P., see Bartels, L. | 313 (1999) 544 |
| Saalfrank, P., see Nest, M. | 313 (1999) 665 |
| Sagon, G., see Senyavin, V.M. | 313 (1999) 421 |
| Sakuntala, T., see Rao, R. | 313 (1999) 749 |
| Sanov, A., J. Faeder, R. Parson and W.C. Lineberger, Spin-orbit coupling in I · CO ₂ and | (, |
| I · OCS van der Waals complexes: beyond the pseudo-diatomic approximation | 313 (1999) 812 |
| Sarobe, M., R.H. Fokkens, T.J. Cleij, L.W. Jenneskens, N.M.M. Nibbering, W. Stas and C. | , |
| Versluis, S ₈ -mediated cyclotrimerization of 4,5-dihydrobenz[1]acephenanthrylene: tri- | |
| naphthodecacyclene (C ₆₀ H ₃₀) isomers and their propensity towards cyclodehydrogena- | |
| tion | 313 (1999) 31 |
| Satoh, G., see Ichikawa, T. | 313 (1999) 129 |
| Sattler, K., see Lonfat, M. | 313 (1999) 539 |
| Scherf, U., see Harrison, M.G. | 313 (1999) 755 |
| Scherf, U., see Schweitzer, B. | 313 (1999) 57 |
| Schilling, M., see Mirau, P.A. | 313 (1999) 139 |
| Schmeißer, D., see Appel, G. | 313 (1999) 411 |
| Schneider, C., see Potrzebowski, M.J. | 313 (1999) 569 |
| Schneider, F.W., see Fecher, F. | 313 (1999) 205 |
| Schnitzer, C., S. Baldelli and M.J. Shultz, Sum frequency generation by water on | 313 (1777) 203 |
| supercooled H ₂ SO ₄ /H ₂ O liquid solutions at stratospheric temperature | 313 (1999) 416 |
| Schreiber, M., see Nest, M. | 313 (1999) 665 |
| Schulze, W., see Félix, C. | 313 (1999) 105 |
| Schweitzer, B., V.I. Arkhipov, U. Scherf and H. Bässler, Geminate pair recombination in a | 313 (1999) 103 |
| conjugated polymer | 313 (1999) 57 |
| Scuseria, G.E., see Kelly, K.F. | 313 (1999) 445 |
| | 313 (1999) 456 |
| Sehested, K., see Wallington, T.J. | |
| Seki, K., see Ochimizu, T. Senyayin, V.M., V.A., Dayyday, I.S. Kashayaraya, A.V. Balshmanina, V. Agafanay, H. | 313 (1999) 451 |
| Senyavin, V.M., V.A. Davydov, L.S. Kashevarova, A.V. Rakhmanina, V. Agafonov, H. | |
| Allouchi, R. Céolin, G. Sagon and H. Szwarc, Spectroscopic properties of individual | 313 (1999) 421 |
| pressure-polymerized phases of C ₆₀ | 313 (1999) 421 |
| | |

| Shigeiwa, M., see Myers, D.J. | 313 (1999) 592 |
|---|----------------|
| Shramek, N.S., see Ishikawa, Y. | 313 (1999) 341 |
| Shrivastava, K.N., S.S.C. Ammal, H. Tsuruya, S. Takami, A. Endou, M. Kubo, K. Teraishi, A. Miyamoto and A. Ozaki, Density functional theory calculations of molecu- | |
| lar nitrogen on a ruthenium cluster | 313 (1999) 279 |
| Shultz, M.J., see Schnitzer, C. | 313 (1999) 416 |
| Shushin, A.I., Detailed analysis of the mechanism of net electron spin polarization in liquid | |
| phase triplet-radical quenching | 313 (1999) 246 |
| Sieber, C., see Félix, C. | 313 (1999) 105 |
| Sikka, S.K., see Rao, R. | 313 (1999) 749 |
| Sinclair, W.E., see Pfluger, D. | 313 (1999) 171 |
| Skenderović, H., see Ban, T. | 313 (1999) 110 |
| Smalley, R.E., see Nikolaev, P. | 313 (1999) 91 |
| Smith, K.A., see Nikolaev, P. | 313 (1999) 91 |
| Snijders, J.G., see de Lange, M.J.L. | 313 (1999) 491 |
| Snyder, J.A. and E.D. Stevens, A wavefunction and energy of the azide ion in potassium | |
| azide obtained by a quantum-mechanically constrained fit to X-ray diffraction data | 313 (1999) 293 |
| So, S.P., A Gaussian-2 molecular orbital study of the reaction of CF ₃ with NO ₂ | 313 (1999) 307 |
| So, S.P., Theoretical study of Si ₃ H ₃ ⁺ and Ge ₃ H ₃ ⁺ isomers | 313 (1999) 587 |
| Sokalski, W.A., see Grembecka, J. | 313 (1999) 385 |
| Sokolovski, D., J.F. Castillo and C. Tully, Semiclassical angular scattering in the F + H ₂ | |
| → HF + H reaction: Regge pole analysis using the Padé approximation | 313 (1999) 225 |
| Soldán, P., E.P.F. Lee, S.D. Gamblin and T.G. Wright, Structure and stability of the | |
| Na ⁺ ·CO ₂ and Na ⁺ ·H ₂ O complexes | 313 (1999) 379 |
| Stagira, S., see Lanzani, G. | 313 (1999) 525 |
| Stas, W., see Sarobe, M. | 313 (1999) 31 |
| Stevens, E.D., see Snyder, J.A. | 313 (1999) 293 |
| Stolte, S., see de Lange, M.J.L. | 313 (1999) 491 |
| Strasser, P., see Fecher, F. | 313 (1999) 205 |
| Strazisar, B.R., see Bernard, E.J. | 313 (1999) 461 |
| Sugai, Y., see Kinoshita, M. | 313 (1999) 685 |
| Sykes, M.J., see McCoy, E.F. | 313 (1999) 707 |
| Szöke, A., Time-resolved holographic diffraction at atomic resolution | 313 (1999) 777 |
| Szubiakowski, J., A. Balter, W. Nowak, K. Wisniewski and K. Aleksandrzak, Substituent- | |
| sensitive anisotropic rotations of 9-acetoxy-10-phenylanthracenes: fluorescence anisotro- | |
| py decay and quantum-mechanical study | 313 (1999) 473 |
| Szwarc, H., see Senyavin, V.M. | 313 (1999) 421 |
| | |
| Takaichi, S., see Akimoto, S. | 313 (1999) 63 |
| Takami, S., see Shrivastava, K.N. | 313 (1999) 279 |
| Takatsuka, K., see Yanao, T. | 313 (1999) 633 |
| Talbi, D., An extensive ab-initio study of the $C + NH_2$ and $N + CH_2$ reactions in relation | |
| to the HCN/HNC space abundance ratios | 313 (1999) 626 |
| Talebpour, A., A.D. Bandrauk, J. Yang and S.L. Chin, Multiphoton ionization of inner-va- | |
| lence electrons and fragmentation of ethylene in an intense Ti:sapphire laser pulse | 313 (1999) 789 |
| Tao, FM., see Li, Z. | 313 (1999) 313 |

| Tatchen, J. and C.M. Marian, On the performance of approximate spin-orbit Hamiltonians | |
|--|----------------|
| in light conjugated molecules: the fine-structure splitting of HC ₆ H ⁺ , NC ₅ H ⁺ , and | |
| NC_4N^+ | 313 (1999) 351 |
| Tekely, P., see Potrzebowski, M.J. | 313 (1999) 569 |
| Ter-Avetisyan, S., see Ban, T. | 313 (1999) 110 |
| Teraishi, K., see Shrivastava, K.N. | 313 (1999) 279 |
| Thiel, W., see Breidung, J. | 313 (1999) 713 |
| Tonokura, K., S. Marui and M. Koshi, Absorption cross-section measurements of the vinyl | |
| radical in the 440-460 nm region by cavity ring-down spectroscopy | 313 (1999) 771 |
| Tsuruya, H., see Shrivastava, K.N. | 313 (1999) 279 |
| Tully, C., see Sokolovski, D. | 313 (1999) 225 |
| Turner, J.F.C., see Carter, V.J. | 313 (1999) 505 |
| Turowska-Tyrk, I., see Graja, A. | 313 (1999) 725 |
| Uebayasi, M., see Kitaura, K. | 313 (1999) 701 |
| Urahata, S. and S. Canuto, Monte Carlo study of the temperature dependence of the | |
| hydrophobic hydration of benzene | 313 (1999) 235 |
| Urbasch, G., see Harrison, M.G. | 313 (1999) 755 |
| Vala, J., see Wang, Z. | 313 (1999) 155 |
| Vecchiocattivi, F., see Ohoyama, H. | 313 (1999) 484 |
| Versluis, C., see Sarobe, M. | 313 (1999) 31 |
| Vijayakumar, V., see Rao, R. | 313 (1999) 749 |
| Wallington, T.J., O.J. Nielsen and K. Sehested, Kinetics of the reaction of CH ₃ O ₂ radicals | |
| with NO ₂ | 313 (1999) 456 |
| Wang, F., see Deng, J.K. | 313 (1999) 134 |
| Wang, F., see Ke, X.Z. | 313 (1999) 40 |
| Wang, GJ., see Zhu, R. | 313 (1999) 98 |
| Wang, LS., see Wang, XB. | 313 (1999) 179 |
| Wang, S.L., see Xu, S.C. | 313 (1999) 617 |
| Wang, X., see Kelly, K.F. | 313 (1999) 445 |
| Wang, XB. and LS. Wang, Vibrationally resolved photoelectron spectroscopy of PO ₃ | |
| and the electronic structure of PO ₃ | 313 (1999) 179 |
| Wang, X.D., see Deng, J.K. | 313 (1999) 134 |
| Wang, Y., see Deng, J.K. | 313 (1999) 134 |
| Wang, Z., T. Wasserman, E. Gershgoren, J. Vala, R. Kosloff and S. Ruhman, Geminate | |
| recombination of I ₃ in cooled liquid and glassy ethanol | 313 (1999) 155 |
| Wang, Z.X., see Ke, X.Z. | 313 (1999) 40 |
| Waplak, S., see Graja, A. | 313 (1999) 725 |
| Wasserman, T., see Wang, Z. | 313 (1999) 155 |
| Werner, HJ., see Manthe, U. | 313 (1999) 647 |
| Wild, U.P., see Harms, G.S. | 313 (1999) 533 |
| Wisniewski, K., see Szubiakowski, J. | 313 (1999) 473 |
| Wolf, M., see Bartels, L. | 313 (1999) 544 |
| Wright, P.A., see Carter, V.J. | 313 (1999) 505 |
| Wright, T.G., see Soldán, P. | 313 (1999) 379 |
| Wu, G. and K. Yamada, Residual dipolar couplings in MAS and MQMAS NMR spectra of | 212 (1000) 715 |
| quadrupolar nuclei | 313 (1999) 519 |
| | |

| Wyatt, R.E., Quantum wavepacket dynamics with trajectories: wavefunction synthesis | 212 (1000) 100 |
|--|----------------|
| along quantum paths | 313 (1999) 189 |
| Xie, R.H. and Q. Rao, Third-order optical nonlinearities of chiral graphene tubules | 313 (1999) 211 |
| Xing, D., see Zhang, N. | 313 (1999) 69 |
| Xu, S.C., R. Guo and S.L. Wang, Research on the model reactions of ClONO2 with HCl on | |
| water clusters | 313 (1999) 617 |
| Yagi, M., see Ochimizu, T. | 313 (1999) 451 |
| Yamada, K., see Wu, G. | 313 (1999) 519 |
| Yamato, M., see Ohoyama, H. | 313 (1999) 484 |
| Yamazaki, I., see Akimoto, S. | 313 (1999) 63 |
| Yan, ZC., see Zhu, JM. | 313 (1999) 184 |
| Yanao, T. and K. Takatsuka, Timescale of isomerization reactions and isotropic inflation | |
| model of basin boundaries in cluster dynamics | 313 (1999) 633 |
| Yang, DS. and J. Miyawaki, Zero kinetic energy spectroscopy of AlNH ₃ complex | 313 (1999) 514 |
| Yang, J., see Talebpour, A. | 313 (1999) 789 |
| Yang, W., see Zhang, N. | 313 (1999) 69 |
| Yartsev, V.M., Electronic correlation and electron-molecular vibration coupling effects on | |
| non-linear optical properties of molecular dimer | 313 (1999) 241 |
| Zerbetto, F., see Buma, W.J. | 313 (1999) 426 |
| Zhang, F.S., see Ke, X.Z. | 313 (1999) 40 |
| Zhang, H., see Zhu, R. | 313 (1999) 98 |
| Zhang, N., W. Yang, G. Li, W. Ding, D. Xing and Y. Du, Sintering temperature-dependent | |
| magnetism and structure in granular perovskites $La_{1-x}Sr_xMnO_z$ | 313 (1999) 69 |
| Zhang, Y.A., see Deng, J.K. | 313 (1999) 134 |
| Zheng, X. and D.L. Phillips, Substituent and solvent effects on the short-time A-band | |
| photodissociation dynamics of CF ₂ I ₂ | 313 (1999) 467 |
| Zheng, Y., see Deng, J.K. | 313 (1999) 134 |
| Zhong, J., see Chen, Z. | 313 (1999) 217 |
| Zhou, BL., see Zhu, JM. | 313 (1999) 184 |
| Zhu, JM., BL. Zhou and ZC. Yan, Dispersion coefficients for interactions among | 212 (1000) 104 |
| two-electron atomic systems | 313 (1999) 184 |
| Zhu, R., H. Zhang, GJ. Wang, X. Gu, KL. Han, GZ. He and NQ. Lou, Photodissocia- | 212 (1000) 00 |
| tion of o-bromotoluene at 266 nm | 313 (1999) 98 |
| Zhu, Z.Y., see Ke, X.Z. | 313 (1999) 40 |
| Zúñiga, J., A. Bastida, M. Alacid and A. Requena, Global potential energy surfaces for the CO ₂ and CS ₂ molecules | 313 (1999) 670 |
| | |

